[ T. Number	ui+c	Search Text	DB	Time stamp
L Number	Hits 5	control\$1 near5 panel\$1 with phone\$1 near5	USPAT;	2003/06/26 13:28
	9	interface\$1	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	0000/06/06 10 00
2	192	seeman.in.	USPAT; US-PGPUB;	2003/06/26 13:28
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	420	seemann.in.	USPĀT;	2003/06/26 13:28
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	,
4	4	seemann.in. and phone\$1 near5 interface\$1	USPAT;	2003/06/26 13:30
4	*	Seemaini.in. and phoney: hears interrace;	US-PGPUB;	2003,00,20 13.30
			EPO; JPO;	
		,	DERWENT;	
	_ !		IBM_TDB	
5	2	phone\$1 near5 interface\$1 near5 wireless\$2	USPAT;	2003/06/26 13:32
ļ		near5 control\$3 near5 panel\$!	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
6	24	phone\$1 near5 interface\$1 near5 wireless\$2	USPAT;	2003/06/26 14:03
		and control\$3 near5 panel\$!	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
8	3	phone\$1 near5 port\$1 near5 telephone\$1	USPAT;	2003/06/26 14:06
"		near5 line\$1 near5 station\$1	US-PGPUB;	2000,00,20 11.00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/06/06 14 01
7	30	1	USPAT; US-PGPUB;	2003/06/26 14:31
		near5 wireless\$2 near5 signal\$1	EPO; JPO;	
			DERWENT;	
			IBM TDB	
9	5328	(phone\$1 near5 line\$1 or phone\$1 near5	USPAT;	2003/06/26 14:34
		interface\$1 or telephone\$1 near5 line\$1 or	US-PGPUB;	
		telephone\$1 near5 interface\$1) with	EPO; JPO;	
		wireless	DERWENT; IBM TDB	
10	1097	((phone\$1 near5 line\$1 or phone\$1 near5	USPAT;	2003/06/26 14:35
		interface\$1 or telephone\$1 near5 line\$1 or	US-PGPUB;	
		telephone\$1 near5 interface\$1) with	EPO; JPO;	
		wireless) and sensor\$1	DERWENT;	
11	393	(((phone\$1 near5 line\$1 or phone\$1 near5	IBM_TDB USPAT;	2003/06/26 14:37
**	393	interface\$1 or telephone\$1 near5 line\$1 or	US-PGPUB;	2003,00,20 14.37
		telephone\$1 near5 interface\$1) with	EPO; JPO;	
		wireless) and sensor\$1) and panel\$1	DERWENT;	
			IBM_TDB	0000/05/55
12	107	((((phone\$1 near5 line\$1 or phone\$1 near5	USPAT;	2003/06/26 14:38
		interface\$1 or telephone\$1 near5 line\$1 or telephone\$1 near5 interface\$1) with	US-PGPUB; EPO; JPO;	
		wireless) and sensor\$1) and panel\$1) and	DERWENT;	
		(phone\$1 near5 port\$1 or jack\$1 or jak\$1)	IBM TDB	
13	105	(((((phone\$1 near5 line\$1 or phone\$1 near5	USPAT;	2003/06/26 14:38
		interface\$1 or telephone\$1 near5 line\$1 or	US-PGPUB;	
		telephone\$1 near5 interface\$1) with	EPO; JPO;	
		wireless) and sensor\$1) and panel\$1) and	DERWENT;	
		<pre>(phone\$1 near5 port\$1 or jack\$1 or jak\$1)) and transmit\$5</pre>	IBM_TDB	
	t	and cranomicyo	<u> </u>	L

14	105	<pre>((((((phone\$1 near5 line\$1 or phone\$1 near5 interface\$1 or telephone\$1 near5</pre>	USPAT; US-PGPUB;	2003/06/26 14:39
		line\$1 or telephone\$1 near5 interface\$1)	EPO; JPO;	
		with wireless) and sensor\$1) and panel\$1)	DERWENT;	
		and (phone\$1 near5 port\$1 or jack\$1 or	IBM TDB	
		jak\$1)) and transmit\$5) and Receiv\$5		
15	34	((((((phone\$1 near5 line\$1 or phone\$1	USPAT;	2003/06/26 14:40
10	0.	near5 interface\$1 or telephone\$1 near5	US-PGPUB;	
İ		line\$1 or telephone\$1 near5 interface\$1)	EPO; JPO;	
		with wireless) and sensor\$1) and panel\$1)	DERWENT;	
		and (phone\$1 near5 port\$1 or jack\$1 or	IBM TDB	
		jak\$1)) and transmit\$5) and Receiv\$5) and	-	
		configuration\$1 near5 data\$1		
16	34	(((((((phone\$1 near5 line\$1 or phone\$1	USPAT;	2003/06/26 14:50
		near5 interface\$1 or telephone\$1 near5	US-PGPUB;	
		line\$1 or telephone\$1 near5 interface\$1)	EPO; JPO;	
		with wireless) and sensor\$1) and panel\$1)	DERWENT;	
		and (phone\$1 near5 port\$1 or jack\$1 or	IBM_TDB	
		<pre>jak\$1)) and transmit\$5) and Receiv\$5) and</pre>		
		configuration\$1 near5 data\$1) and		
_	_	(battery\$1 or power\$1 near5 supply\$1)		0000/05/05 1: 5-
17	1	(transmit\$4 or send\$4 or forward\$4) near5	USPAT;	2003/06/26 14:52
		configuration\$1 near5 data\$1 near5	US-PGPUB;	
		wireless\$2 near5 panel\$1	EPO; JPO;	1
			DERWENT;	
18	1	(transmit\$4 or send\$4 or forward\$4) near5	IBM_TDB USPAT;	2003/06/26 14:52
10	±	configurat\$4 near5 data\$1 near5 wireless\$2	US-PGPUB;	2003/00/20 14.32
		near5 panel\$1	EPO; JPO;	
		nears panerer	DERWENT;	
			IBM TDB	
19	15	(transmit\$4 or send\$4 or forward\$4) near5	USPAT;	2003/06/26 14:52
		data\$1 near5 wireless\$2 near5 panel\$1	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
20	12	((transmit\$4 or send\$4 or forward\$4) near5	USPAT;	2003/06/26 15:28
		data\$1 near5 wireless\$2 near5 panel\$1) and	US-PGPUB;	
		(telephone\$1 near5 interface\$1 or phone\$1	EPO; JPO;	
		near5 interface\$1 or interface\$1 or	DERWENT;	
		line\$1)	IBM_TDB	2002/06/06 15 21
21	4	5822373.uref.	USPAT;	2003/06/26 15:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
22	18	  wireless\$1 near5 data\$1 near5	USPAT;	2003/06/26 15:35
~~	10	transmission\$1 with building\$1	US-PGPUB;	2000,00,20 10.00
		Clanomicolonyl with Salianigyl	EPO; JPO;	
			DERWENT;	
			IBM TDB	
23	10	wireless\$1 near5 data\$1 near5	USPAT;	2003/06/26 15:37
		transmission\$1 with panel\$1	US-PGPUB;	
		<u> </u>	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
24	14	wireless\$1 near5 security\$1 with panel\$1	USPĀT;	2003/06/26 15:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

L Number	Hits 5	Search Text control\$1 near5 panel\$1 with phone\$1 near5	DB USPAT;	Time stamp 2003/06/26 13:28
1	5	interface\$1	US-PGPUB;	2003/06/26 13:28
		Interracear	EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	192	seeman.in.	USPAT;	2003/06/26 13:28
-	132		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	420	seemann.in.	USPĀT;	2003/06/26 13:28
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
4	4	seemann.in. and phone\$1 near5 interface\$1	USPAT;	2003/06/26 13:30
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
5	2	   phone\$1 near5 interface\$1 near5 wireless\$2	USPAT;	2003/06/26 13:32
ا	[	near5 control\$3 near5 panel\$!	US-PGPUB;	2000,00,20 13.32
		hears concrores hears pancie.	EPO; JPO;	!
			DERWENT;	1
			IBM TDB	
6	24	phone\$1 near5 interface\$1 near5 wireless\$2	USPAT;	2003/06/26 14:03
		and control\$3 near5 panel\$!	US-PGPUB;	
		_	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	3	phone\$1 near5 port\$1 near5 telephone\$1	USPAT;	2003/06/26 14:06
		near5 line\$1 near5 station\$1	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
7	30	control\$4 near5 panel\$1 near5 receiv\$4	USPAT;	2003/06/26 14:31
'	30	near5 wireless\$2 near5 signal\$1	US-PGPUB;	2003/00/20 14.31
		nears wildleboyz nears bignaryi	EPO; JPO;	
			DERWENT;	
			IBM TDB	
9	5328	(phone\$1 near5 line\$1 or phone\$1 near5	USPAT;	2003/06/26 14:34
		interface\$1 or telephone\$1 near5 line\$1 or	US-PGPUB;	
		telephone\$1 near5 interface\$1) with	EPO; JPO;	
	l	wireless	DERWENT;	{
			IBM_TDB	0000 /06 /06 1: 5-
10	1097	((phone\$1 near5 line\$1 or phone\$1 near5	USPAT;	2003/06/26 14:35
		interface\$1 or telephone\$1 near5 line\$1 or	US-PGPUB;	
		telephone\$1 near5 interface\$1) with wireless) and sensor\$1	EPO; JPO; DERWENT;	
		wileless  and sensoist	IBM TDB	
11	393	(((phone\$1 near5 line\$1 or phone\$1 near5	USPAT;	2003/06/26 14:37
1		interface\$1 or telephone\$1 near5 line\$1 or	US-PGPUB;	
1		telephone\$1 near5 interface\$1) with	EPO; JPO;	
		wireless) and sensor\$1) and panel\$1	DERWENT;	
		•	IBM_TDB	
12	107	((((phone\$1 near5 line\$1 or phone\$1 near5	USPAT;	2003/06/26 14:38
		interface\$1 or telephone\$1 near5 line\$1 or	US-PGPUB;	
1		telephone\$1 near5 interface\$1) with	EPO; JPO;	
1		wireless) and sensor\$1) and panel\$1) and	DERWENT;	
		(phone\$1 near5 port\$1 or jack\$1 or jak\$1)	IBM_TDB	0000/06/06 1: 33
13	105	(((((phone\$1 near5 line\$1 or phone\$1 near5	USPAT;	2003/06/26 14:38
		interface\$1 or telephone\$1 near5 line\$1 or	US-PGPUB;	
		telephone\$1 near5 interface\$1) with	EPO; JPO;	
1		wireless) and sensor\$1) and panel\$1) and	DERWENT;	
		(phone\$1 near5 port\$1 or jack\$1 or jak\$1)) and transmit\$5	IBM_TDB	
L	L	Tana cranomicas	<u> </u>	L

14	105	<pre>((((((phone\$1 near5 line\$1 or phone\$1 near5 interface\$1 or telephone\$1 near5 line\$1 or telephone\$1 near5 interface\$1) with wireless) and sensor\$1) and panel\$1) and (phone\$1 near5 port\$1 or jack\$1 or jak\$1)) and transmit\$5) and Receiv\$5</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:39
15	34		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:40
16	34	<pre>((((((((phone\$1 near5 line\$1 or phone\$1 near5 interface\$1 or telephone\$1 near5 line\$1 or telephone\$1 near5 interface\$1) with wireless) and sensor\$1) and panel\$1) and (phone\$1 near5 port\$1 or jack\$1 or jak\$1)) and transmit\$5) and Receiv\$5) and configuration\$1 near5 data\$1) and (battery\$1 or power\$1 near5 supply\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:50
17	1		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/26 14:52
18	1	(transmit\$4 or send\$4 or forward\$4) near5 configurat\$4 near5 data\$1 near5 wireless\$2 near5 panel\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:52
19	15	(transmit\$4 or send\$4 or forward\$4) near5 data\$1 near5 wireless\$2 near5 panel\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/26 14:52
20	12	<pre>((transmit\$4 or send\$4 or forward\$4) near5 data\$1 near5 wireless\$2 near5 panel\$1) and (telephone\$1 near5 interface\$1 or phone\$1 near5 interface\$1 or interface\$1 or line\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/26 15:28
21	4	5822373.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/26 15:31
22	18	wireless\$1 near5 data\$1 near5 transmission\$1 with building\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/26 15:35
23	10	wireless\$1 near5 data\$1 near5 transmission\$1 with panel\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/26 15:37
24	14	wireless\$1 near5 security\$1 with panel\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/26 15:53
25	5	5686896.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/26 15:53